

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0 Creation Date: July 15, 2019 Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name 2-methylpentane-2,4-diol

1.2 Other means of identification

Product number

Other names (n)-hexylene glycol; 2,4-dihydroxy-2-methylpentane; 1,3-

dimethyl-3-hydroxybutanol

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.

Uses advised against no data available

1.4 Supplier's details

Company Shanghai Yien Chemical Technology Co., Ltd

Address Building 6, 28 Yingong Road, Fengxian District, Shanghai

Chemical Industry Zone, Shanghai, 201400, China

Telephone +86-400-133-2688

1.5 Emergency phone number

Emergency phone

number

+86-400-133-2688

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT

+8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Skin irritation, Category 2 Eye irritation, Category 2

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word Warning

Hazard statement(s) H315 Causes skin irritation

H319 Causes serious eye irritation

Precautionary statement(s)

Prevention P264 Wash ... thoroughly after handling.

2-methylpentane-2,4-diol Page 1 of 8

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection/...

Response P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label). P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before

reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

Storage none Disposal none

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
2-methylpentane-2,4- diol	2-methylpentane-2,4-diol	107-41-5	203-489-0	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Give one or two glasses of water to drink. Refer for medical attention.

4.2 Most important symptoms/effects, acute and delayed

Irritation of eyes, nose and throat; headache, dizziness, and nausea. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Ethylene glycol, glycols, and related compounds

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

In case of fire: keep drums, etc., cool by spraying with water.

5.2 Specific hazards arising from the chemical

Combustible. Above 96°C explosive vapour/air mixtures may be formed.

5.3 Special protective actions for fire-fighters

Use water spray, powder, alcohol-resistant foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Ventilation. Collect leaking liquid in covered containers. Wash away remainder with plenty of water.

6.2 Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Ventilation. Collect leaking liquid in covered containers. Wash away remainder with plenty of water.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames. Above 96°C use a closed system, ventilation and explosion-proof electrical equipment. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Separated from strong oxidants and strong acids. Keep container tightly closed in a dry and well-ventilated place. Store under inert gas. hygroscopic

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

TLV: (vapour and aerosol): 25 ppm as TWA.TLV: (vapour): 50 ppm as STEL.TLV: (inhalable aerosol): 10 mg/m3 as STEL.MAK: 49 mg/m3; 10 ppm; peak limitation category: I(2); pregnancy risk group: D

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles.

Skin protection

Protective gloves.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state Liquid.
Colour Liquid
Odour Mild sweetish
Melting point/freezing -50 °C.

point

Boiling point or initial 197 °C. Atm. press.:1 013 hPa.

boiling point and boiling

range

Flammability Class IIIB Combustible Liquid: Fl.P. at or above 200°F.

Lower and upper Flammability limits = 1.3-9 vol%

explosion

limit/flammability limit

Flash point 93 °C.

Auto-ignition 305.85°C. Remarks: The pressure was not reported.

temperature

Decomposition no data available

temperature

pH no data available

Kinematic viscosity dynamic viscosity (in mPa s) = 34. Temperature: 20°C.

Remarks: 34 cP at 20°C.

Solubility Miscible (NIOSH, 2016)

Partition coefficient n- log Pow = 0. Remarks: The temperature and pH were not

octanol/water reported.

Vapour pressure < 0.01 kPa. Temperature:25 °C. **Density and/or relative** 0.92 g/cm³. Temperature:15 °C.

density

Relative vapour density 4.1 (vs air) **Particle characteristics** no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Reacts with strong oxidants and strong acids.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Combustible.HEXYLENE GLYCOL is incompatible with the following: Strong oxidizers, strong acids [Note: Hygroscopic (i.e., absorbs moisture from the air).] (NIOSH, 2016).

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Can react with oxidizing materials.

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and fumes.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Guinea pig oral 2600 mg/kg
- Inhalation: LC0 rat saturated vapor concentration.
- Dermal: LD0 rat (male/female) \geq 2 000 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract.

STOT-repeated exposure

Repeated or prolonged contact with skin may cause dermatitis.

Aspiration hazard

A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 Gambusia affinis 9 910 mg/L 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 Daphnia magna 5 410 mg/L 48 h.
- Toxicity to algae: EC50 Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) > 429 mg/L 72 h.
- Toxicity to microorganisms: optimum concentration for growth Pseudomonas aeruginosa 200 mg/L 10 d.

12.2 Persistence and degradability

AEROBIC: 2-Methyl-2,4-pentanediol, present at 100 mg/L, reached 55.7% of its theoretical BOD in 2 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test(1). Other MITI test results(2 week incubation period with activated sludge inoculum) conclude that 2-methyl-2,4-pentanediol was found to be "well biodegradable" with theoretical BODs of 35-76%(2,3). Using a standard BOD dilution test and an inoculum from a sanitary waste treatment facility, a theoretical BOD of 95% was observed over a 5-day period(4). A 5-day theoretical BOD of 56% was observed using acclimated mixed microbial cultures as inoculum(5).

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for 2-methyl-2,4-pentanediol(SRC), using an estimated log Kow of 0.58(1) and a regression-derived equation(1). According to a classification scheme(2), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of 2-methyl-2,4-pentanediol can be estimated to be 1(SRC). According to a classification scheme(2), this estimated Koc value suggests that 2-methyl-2,4-pentanediol is expected to have very high mobility in soil(SRC).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. IATA: Not dangerous goods. (For reference only, please check.)

(For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. IATA: Not dangerous goods. (For reference only, please check.)

(For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. IATA: Not dangerous goods. (For reference only, please check.)

(For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. IATA: Not dangerous goods. (For reference only, please check.)

(For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No IMDG: No IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Chemical name Common names and synonyms CAS number		EC number
2-methylpentane-2,4- diol	2-methylpentane-2,4-diol	107-41-5	203-489-0
European Inventory of (EINECS)	Listed.		
EC Inventory	Listed.		
United States Toxic Sub	Listed.		
China Catalog of Hazar	Not Listed.		
New Zealand Inventory	Listed.		
Philippines Inventory o (PICCS)	Listed.		
Vietnam National Chem	Listed.		
Chinese Chemical Inver (China IECSC)	Listed.		
Korea Existing Chemic	Listed.		

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019 **Revision Date** July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- ECHA European Chemicals Agency, website: https://echa.europa.eu/

Other Information

The occupational exposure limit value should not be exceeded during any part of the working exposure.

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the

product. We as supplier shall not be held liable for any dan from contact with the above product.	nage resulting from handling or