



SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name 2-(2-(2-methoxyethoxy)ethoxy)ethanol

1.2 Other means of identification

Product number -
Other names Ethanol, 2-[2-(2-methoxyethoxy)ethoxy]-; TRIETHYLENE GLYCOL MONOMETHYL ETHER; Methyl Triglycol

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.
Uses advised against no data available

1.4 Supplier's details

Company Shanghai Yien Chemical Technology Co., Ltd
Address Building 6, 28 Yingong Road, Fengxian District, Shanghai Chemical Industry Zone, Shanghai, 201400, China
Telephone +86-400-133-2688

1.5 Emergency phone number

Emergency phone number +86-400-133-2688
Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Not classified.

2.2 GHS label elements, including precautionary statements

Pictogram(s) No symbol.
Signal word No signal word
Hazard statement(s) none
Precautionary statement(s)
Prevention none
Response none
Storage none
Disposal none

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
2-(2-(2-methoxyethoxy)ethoxy)ethanol	2-(2-(2-methoxyethoxy)ethoxy)ethanol	112-35-6	203-962-1	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible).

Following ingestion

Rinse mouth. Give one or two glasses of water to drink.

4.2 Most important symptoms/effects, acute and delayed

No appreciable hazard in ordinary handling or use. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Absorption, Distribution and Excretion

It is slowly absorbed through skin. Excessive exposure involving large areas of skin for extended periods of time would be required before serious effects would be expected.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Fire Extinguishing Agents Not to Be Used: Water or foam may cause frothing. Fire Extinguishing Agents: Dry chemical, carbon dioxide, or alcohol foam. (USCG, 1999)

5.2 Specific hazards arising from the chemical

Combustible.

5.3 Special protective actions for fire-fighters

Use powder, foam, carbon dioxide.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Collect leaking liquid in covered containers. Then store and dispose of according to local regulations. Wash away spilled liquid with plenty of water.

6.2 Environmental precautions

Collect leaking liquid in covered containers. Then store and dispose of according to local regulations. Wash away spilled liquid with plenty of water.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Separated from strong oxidants, strong bases and strong acids.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

MAK: (inhalable fraction): 50 mg/m³; peak limitation category: II(2); pregnancy risk group: C

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety spectacles.

Skin protection

Protective gloves.

Respiratory protection

Use ventilation.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid.
Colour	Colourless.
Odour	no data available
Melting point/freezing point	-74.6 °C. Atm. press.:1 atm.
Boiling point or initial boiling point and boiling range	250.37 °C. Atm. press.:1 013 hPa. Remarks:Colour of the substance shifts to yellow.
Flammability	Combustible.
Lower and upper explosion limit/flammability limit	no data available
Flash point	110 °C. Atm. press.:1 013.25 hPa.

Auto-ignition temperature	210 °C. Atm. press.:1 013.25 hPa.
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	kinematic viscosity (in mm ² /s) = 7. Temperature:25.0°C. Remarks:Equivalent to a dynamic viscosity of 7.3 mPas.
Solubility	In water, miscible
Partition coefficient n-octanol/water	log Pow = -1.12. Temperature:25 °C.
Vapour pressure	0.007 mm Hg. Remarks:This value represents a long extrapolation away from the data range used to derive the Antoine constants so should be used with caution. It would be equivalent to a vapour pressure of 0.96 Pa.
Density and/or relative density	1 049.4 kg/m ³ . Temperature:20 °C.
Relative vapour density	5.66 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

On combustion, forms toxic gases. Reacts with strong acids, strong bases and strong oxidants.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

CombustibleEthers, such as TRIETHYLENE GLYCOL METHYL ETHER, can act as bases. They form salts with strong acids and addition complexes with Lewis acids. The complex between diethyl ether and boron trifluoride is an example. Ethers may react violently with strong oxidizing agents. In other reactions, which typically involve the breaking of the carbon-oxygen bond, ethers are relatively inert.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Glycol ethers, glycols, ketones, and alcohols undergo violent decomposition in contact with 68-72% perchloric acid

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat (male/female) - > 10 500 mg/kg bw.
- Inhalation: LC0 - rat (male/female) - > 10 ppm.
- Dermal: LD50 - rabbit (male) - 7.1 mL/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C.

SECTION 12: Ecological information**12.1 Toxicity**

- Toxicity to fish: LC0 - Danio rerio (previous name: Brachydanio rerio) - > 5 000 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - > 500 mg/L - 48 h.
- Toxicity to algae: EC50 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - > 500 mg/L - 72 h.
- Toxicity to microorganisms: EC0 - activated sludge, industrial - > 2 000 mg/L - 30 min. Remarks:Respiration rate.

12.2 Persistence and degradability

AEROBIC: Triethylene glycol monomethyl ether has 10 and 20 day theoretical BOD values of 14 and 23, respectively(1). A study using activated sludge gave a degradation rate for diethylene glycol monoethyl ether of 0.22/hour(2) giving a half-life of 3.2 hours(SRC).

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for triethylene glycol monomethyl ether(SRC), using an estimated log Kow of -1.46(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of triethylene glycol monomethyl ether can be estimated to be 10(SRC). According to a classification scheme(2), this estimated Koc value suggests that triethylene glycol monomethyl ether is expected to have very high mobility in soil(SRC).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations**13.1 Disposal methods****Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
2-(2-(2-methoxyethoxy)ethoxy)ethanol	2-(2-(2-methoxyethoxy)ethoxy)ethanol	112-35-6	203-962-1
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019
Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Health effects of exposure to the substance have been extensively investigated but none has been found.

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.