



SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name 2,4-dichlorophenol

1.2 Other means of identification

Product number -
Other names 2,4-DCP; 2,4-di-chlorophenol; Isobac

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.
Uses advised against no data available

1.4 Supplier's details

Company Shanghai Yien Chemical Technology Co., Ltd
Address Building 6, 28 Yingong Road, Fengxian District, Shanghai
Chemical Industry Zone, Shanghai, 201400, China
Telephone +86-400-133-2688

1.5 Emergency phone number

Emergency phone number +86-400-133-2688
Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Acute toxicity - Category 4, Oral
Acute toxicity - Category 3, Dermal
Skin corrosion, Sub-category 1B
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Hazard statement(s)

Danger
H302 Harmful if swallowed
H311 Toxic in contact with skin
H314 Causes severe skin burns and eye damage

	H411 Toxic to aquatic life with long lasting effects
Precautionary statement(s)	
Prevention	<p>P264 Wash ... thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...</p> <p>P260 Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>P273 Avoid release to the environment.</p>
Response	<p>P301+P317 IF SWALLOWED: Get medical help.</p> <p>P330 Rinse mouth.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water/...</p> <p>P316 Get emergency medical help immediately.</p> <p>P321 Specific treatment (see ... on this label).</p> <p>P361+P364 Take off immediately all contaminated clothing and wash it before reuse.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P391 Collect spillage.</p>
Storage	P405 Store locked up.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
2,4-dichlorophenol	2,4-dichlorophenol	120-83-2	204-429-6	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Half-upright position. Refer immediately for medical attention.

Following skin contact

Wear protective gloves when administering first aid. Remove contaminated clothes. See Notes. To remove substance use polyethylene glycol 400 or vegetable oil. Rinse skin with plenty of water or shower. Refer immediately for medical attention.

Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible). Refer immediately for medical attention.

Following ingestion

Rinse mouth. Do NOT induce vomiting. Refer immediately for medical attention.

4.2 Most important symptoms/effects, acute and delayed

Tremors, convulsions, shortness of breath, inhibition of respiratory system. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Phenols and related compounds

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Alcohol foam, foam, carbon dioxide, dry chemical.

5.2 Specific hazards arising from the chemical

Special Hazards of Combustion Products: Toxic gases can be evolved. Behavior in Fire: Solid melts and burns. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Use water spray, foam, powder, carbon dioxide.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

6.2 Environmental precautions

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Activated carbon is a good method for removing chlorophenols from water. Competitive adsorption occurs between chlorophenols & humic substances present in nearly all municipal water supplies. This competition decr the capacity of carbon for chlorophenols. Chlorophenols

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames. Prevent build-up of electrostatic charges (e.g., by grounding). Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Store in an area without drain or sewer access. Provision to contain effluent from fire extinguishing. Separated from strong oxidants and food and feedstuffs. Ventilation along the floor. SRP: Local exhaust ventilation should be applied wherever there is an incidence of point source emissions or dispersion of regulated contaminants in the work area. Ventilation control of the contaminant as close to its point of generation is both the most economical and safest method to minimize personnel exposure to airborne contaminants.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Solid.
Colour	White (5 Y 8/1 White).
Odour	Strong medicinal
Melting point/freezing point	45 °C. Atm. press.:KPa. Remarks:The pressure at which the melting point is measured is not stated.
Boiling point or initial boiling point and boiling range	210 °C. Remarks:Boiling point at atmospheric pressure assumed although not confirmed.
Flammability	Combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	no data available
Flash point	Ca. 110.6 °C.
Auto-ignition temperature	Remarks:Not applicable.
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	Partially miscible with water
Partition coefficient n-octanol/water	log Pow = ≥ 3.21 - ≤ 3.25 . Temperature:20 °C. Remarks:OECD Guideline 107, Rhodia reported value, 1984. Assigned reliability 2, valid with restrictions. Critical study for SIDS endpoint.;log Pow = 3. Remarks:OECD Guideline 117, Rhodia reported value, 1988. The temperature is not indicated. Assigned reliability 2, valid with restrictions.;log Pow = 2.92. Remarks:Rhodia reported value from peer reviewed handbook, 1982. The temperature is not indicated. Assigned reliability 2, valid with restrictions.

Vapour pressure	8.7 Pa. Temperature:20 °C.;12 Pa. Temperature:25 °C.
Density and/or relative density	1.4 g/cm ³ . Temperature:49 °C.
Relative vapour density	5.62 (NTP, 1992) (Relative to Air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposes on heating. This produces toxic fumes including chlorine and hydrogen chloride. Decomposes on burning. This produces toxic fumes including phosgene and dioxins. Reacts violently with acids and strong oxidants.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

Combustible when exposed to heat or flame. Dust explosion possible if in powder or granular form, mixed with air. If dry, it can be charged electrostatically by swirling, pneumatic transport, pouring, etc. 2,4-DICHLOROPHENOL can react vigorously with oxidizing agents. Can also react with acids or acid fumes. Incompatible with acid chlorides and acid anhydrides. (NTP, 1992)

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Can react vigorously with oxidizing materials.

10.6 Hazardous decomposition products

When heated to decomposition ... it emits highly toxic fumes of /hydrogen chloride/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 580 mg/kg
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Evaluation: There is limited evidence in humans for the carcinogenicity of combined exposures to polychlorophenols or to their sodium salts. There is evidence suggesting lack of carcinogenicity of 2,4-dichlorophenol in experimental animals. ... Overall evaluation: Combined exposures to polychlorophenols or to their sodium salts are possibly carcinogenic to humans (Group 2B). Polychlorophenols and their sodium salts

Reproductive toxicity

no data available

STOT-single exposure

The substance is corrosive to the eyes, skin and respiratory tract. Corrosive on ingestion. The hot liquid may cause severe skin burns. Exposure to the molten substance may result in extensive skin absorption and rapid death. Inhalation of the vapour may cause lung oedema. See Notes. Medical observation is indicated. The substance may cause effects on the central nervous system.

STOT-repeated exposure

no data available

Aspiration hazard

A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C; when in molten form, however, evaporation will be much faster.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50; Species: *Danio rerio* (Zebra danio); Conditions: static; Concentration: 3900 µg/L for 96 hr
- Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - 2.8 mg/L - 48 h.
- Toxicity to algae: EC50 - *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*) - 1.13 mg/L - 72 h.
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: Using a static-culture flask-screening procedure with a settled wastewater inoculum, 2,4-dichlorophenol was found to be degradable with rapid microbial adaptation as 99-100% of initial concentration were degraded within 7 days(1). Using a Warburg respirometer and phenol-adapted bacteria (bacteria isolated from garden soil, river mud, compost and waste lagoon sediment), 95% of initial 2,4-dichlorophenol (200 ppm) was degraded within 7-10 days(2). Based on COD determination, 98% of initial 2,4-dichlorophenol was degraded in a BOD system with an activated sludge inoculum during a 20-day inoculation period(3). When activated sludge was exposed to 2,4-dichlorophenol at levels of 100 mg/L of sludge, 75% of the chemical disappeared in two days, and essentially 100% was gone in five days(4). However, 2,4-dichlorophenol, present at 100 mg/L, reached 0% of its theoretical BOD in 4 weeks using an activated sludge inoculum in the Japanese MITI test(5).

12.3 Bioaccumulative potential

A BCF range of 7.1 to 69 was calculated in fish for 2,4-dichlorophenol(SRC), using carp (*Cyprinus carpio*) which were exposed to 30 ppb test compound over an 8-week period(1). The BCF of 2,4-dichlorophenol in goldfish ranged from 34 to 100(3,4); the BCF in an unspecified fish specie was 100(3) and in trout was 10(4). According to a classification scheme(2), these BCF values suggest the potential for bioconcentration in aquatic organisms is low to moderate(SRC). The BCF of 2,4-dichlorophenol in algae ranged from 257 to 263(3,4).

12.4 Mobility in soil

The Koc of 2,4-dichlorophenol ranged from approximately 200 to 5,000 in soil adsorption studies using five mineral soils(1); the most important factors controlling the degree of adsorption were pH and percentage of iron oxide in the soil(1). In batch soil adsorption experiments conducted at pH 10, 2,4-dichlorophenol exhibited a soil equilibrium partition coefficient (Kp) of 0.0+/-0.5 indicating that adsorption was not occurring(2); 2,4-dichlorophenol has a pKa of 7.8 at 20 deg C which indicates that it will exist predominantly in the ionized form at pH 10(2); ionized phenols will generally not sorb to neutral or negatively charged soil organic matter as well as the non-dissociated form(2). The adsorption of the dichlorophenol isomers (including 2,4-dichlorophenol) onto Wyoming bentonite clay was found to be pH dependent with maximum adsorption occurring when ionization of the isomers was less than 50% based on pKa values(3). A

2,4-dichlorophenol Koc of 126 was measured in a clay loam soil from Michigan State University(4).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN2020 (For reference only, please check.)

IMDG: UN2020 (For reference only, please check.)

IATA: UN2020 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: CHLOROPHENOLS, SOLID (For reference only, please check.)

IMDG: CHLOROPHENOLS, SOLID (For reference only, please check.)

IATA: CHLOROPHENOLS, SOLID (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
2,4-dichlorophenol	2,4-dichlorophenol	120-83-2	204-429-6
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.

EC Inventory	Listed.
United States Toxic Substances Control Act (TSCA) Inventory	Listed.
China Catalog of Hazardous chemicals 2015	Listed.
New Zealand Inventory of Chemicals (NZIoC)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.
Korea Existing Chemicals List (KECL)	Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Isolate contaminated clothing by sealing in a bag or other container.

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.