



# SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0  
Creation Date: July 15, 2019  
Revision Date: July 15, 2019

## SECTION 1: Identification

### 1.1 GHS Product identifier

**Product name** Benzo[k]fluoranthene

### 1.2 Other means of identification

**Product number** -

**Other names** Benzofluoranthene; benzo 12,11 fluoranthene; 8,9-Benzofluoranthene

### 1.3 Recommended use of the chemical and restrictions on use

**Identified uses** Industrial and scientific research use.

**Uses advised against** no data available

### 1.4 Supplier's details

**Company** Shanghai Yien Chemical Technology Co., Ltd  
**Address** Building 6, 28 Yingong Road, Fengxian District, Shanghai  
Chemical Industry Zone, Shanghai, 201400, China  
**Telephone** +86-400-133-2688

### 1.5 Emergency phone number

**Emergency phone number** +86-400-133-2688

**Service hours** Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

Carcinogenicity, Category 1B

Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

### 2.2 GHS label elements, including precautionary statements

**Pictogram(s)**



**Signal word**

Danger

**Hazard statement(s)**

H350 May cause cancer

H410 Very toxic to aquatic life with long lasting effects

**Precautionary statement(s)**

<b>Prevention</b>	P203 Obtain, read and follow all safety instructions before use. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
<b>Response</b>	P273 Avoid release to the environment. P318 IF exposed or concerned, get medical advice.
<b>Storage</b>	P391 Collect spillage.
<b>Disposal</b>	P405 Store locked up. P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### 2.3 Other hazards which do not result in classification

no data available

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Benzo[k]fluoranthene	Benzo[k]fluoranthene	207-08-9	205-916-6	100%

---

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

#### If inhaled

Fresh air, rest.

#### Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Rinse mouth. Refer for medical attention .

### 4.2 Most important symptoms/effects, acute and delayed

ACUTE/CHRONIC HAZARDS: When heated to decomposition this compound emits acrid smoke and irritating fumes. (NTP, 1992)

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aromatic hydrocarbons and related compounds

---

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.[Sigma-Aldrich; Safety Data Sheet for Benzo

### 5.2 Specific hazards arising from the chemical

Flash point data for this chemical are not available; however, it is probably combustible. (NTP, 1992)

### **5.3 Special protective actions for fire-fighters**

In case of fire in the surroundings, use appropriate extinguishing media.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT let this chemical enter the environment.

### **6.2 Environmental precautions**

Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT let this chemical enter the environment.

### **6.3 Methods and materials for containment and cleaning up**

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.[Sigma-Aldrich; Safety Data Sheet for Benzo

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **7.2 Conditions for safe storage, including any incompatibilities**

Provision to contain effluent from fire extinguishing. Well closed. Keep container tightly closed in a dry and well-ventilated place. Recommended storage temperature 2 - 8 deg C. Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects.[Sigma-Aldrich; Safety Data Sheet for Benzo

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Occupational Exposure limit values**

MAK: skin absorption (H); carcinogen category: 2; germ cell mutagen group: 3B

#### **Biological limit values**

no data available

### **8.2 Appropriate engineering controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### **8.3 Individual protection measures, such as personal protective equipment (PPE)**

#### **Eye/face protection**

Wear safety spectacles or eye protection in combination with breathing protection if powder.

**Skin protection**

Protective gloves. Protective clothing.

**Respiratory protection**

Use local exhaust or breathing protection.

**Thermal hazards**

no data available

---

## **SECTION 9: Physical and chemical properties and safety characteristics**

<b>Physical state</b>	PHYSICAL DESCRIPTION: Pale yellow needles or yellow crystalline solid. (NTP, 1992)
<b>Colour</b>	Yellow prisms from hexane or acetic acid
<b>Odour</b>	no data available
<b>Melting point/freezing point</b>	215-217°C(lit.)
<b>Boiling point or initial boiling point and boiling range</b>	480°C
<b>Flammability</b>	no data available
<b>Lower and upper explosion limit/flammability limit</b>	no data available
<b>Flash point</b>	-17°C
<b>Auto-ignition temperature</b>	no data available
<b>Decomposition temperature</b>	no data available
<b>pH</b>	no data available
<b>Kinematic viscosity</b>	no data available
<b>Solubility</b>	less than 1 mg/mL at 68° F (NTP, 1992)
<b>Partition coefficient n-octanol/water</b>	log Kow = 6.11
<b>Vapour pressure</b>	9.59e-11 mm Hg at 77° F (NTP, 1992)
<b>Density and/or relative density</b>	1.286 g/cm <sup>3</sup>
<b>Relative vapour density</b>	no data available
<b>Particle characteristics</b>	no data available

---

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

NIOSH considers coal tar pitch volatiles to be potential occupational carcinogens. Coal tar pitch volatiles  
Upon heating, toxic fumes are formed. Decomposes on heating. This produces toxic fumes.

### **10.2 Chemical stability**

Stable under recommended storage conditions.[Sigma-Aldrich; Safety Data Sheet for Benzo

### **10.3 Possibility of hazardous reactions**

Benzo(b)fluoranthene/ is combustible.BENZO[K]FLUORANTHENE can react with strong oxidizing agents. May react with electrophiles, peroxides, nitrogen oxides and sulfur oxides (NTP, 1992)

### **10.4 Conditions to avoid**

no data available

## 10.5 Incompatible materials

Incompatible materials: Strong oxidizing agents.[Sigma-Aldrich; Safety Data Sheet for Benzo

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions - Carbon oxides.[Sigma-Aldrich; Safety Data Sheet for Benzo

---

# SECTION 11: Toxicological information

### Acute toxicity

- Oral: no data available
- Inhalation: no data available
- Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

CLASSIFICATION: B2; probable human carcinogen. BASIS FOR CLASSIFICATION: Based on no human data and sufficient data from animal bioassays. Benzo[k]fluoranthene produced tumors after lung implantation in mice and when administered with a promoting agent in skin-painting studies. Equivocal results have been found in a lung adenoma assay in mice. Benzo[k]fluoranthene is mutagenic in bacteria. HUMAN CARCINOGENICITY DATA: None. ANIMAL CARCINOGENICITY DATA: Sufficient.

### Reproductive toxicity

no data available

### STOT-single exposure

no data available

### STOT-repeated exposure

This substance is possibly carcinogenic to humans.

### Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly.

---

# SECTION 12: Ecological information

## 12.1 Toxicity

- Toxicity to fish: no data available
- Toxicity to daphnia and other aquatic invertebrates: no data available
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

## 12.2 Persistence and degradability

AEROBIC: In a static biodegradability test employing a domestic wastewater inoculum, 50-70% of benzo(k)fluoranthene was degraded in four successive weekly subcultures(1). After 60 days of batch slurry bioremediation, the initial solid-phase benzo(b,k)fluoranthene concentration of 120 ug/g was reduced to 50.4 ug/g, a 58% removal(2). In shake flask studies, an initial benzo(b,k)fluoranthene concentration of 2.9 ug/mL was reduced to 1.7 ug/mL following 2 weeks incubation in contaminated groundwater from the American Creosote Works Superfund site, Pensacola, FL; the concentration in a sterile control was 2.8 ug/mL(3). In bench-scale biotreatability studies using a solid-phase bioremediation process (landfarming chambers containing sediment and soil collected from the American Creosote Works Superfund site, Pensacola, FL), the benzo(b,k)fluoranthene concentration was reduced from 112.8 to 109.8 mg/landfarming chamber in unamended surface soil; 112.8 to 81.3 mg/landfarming chamber in nutrient-amended surface soil; 418.8 to 345.6 mg/landfarming chamber in unamended sediment; and 418.7 to 351.6 mg/landfarming chamber in nutrient-amended sediment following 12 weeks incubation(4).

### 12.3 Bioaccumulative potential

An estimated BCF range of 3415-6465 was calculated in fish for benzo(k)fluoranthene(SRC), using a log Kow range of 5.86-6.28(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF range suggests that the potential of benzo(k)fluoranthene for bioconcentration in aquatic organisms is very high(SRC). Polyaromatic hydrocarbons, including benzo(k)fluoranthene, have been shown to be rapidly metabolized by some aquatic organisms(4). BCFs for benzo(k)fluoranthene, based on dry weight, in mussels (*Mytilus edulis planulatus* L.) incubated in Port Phillip Bay, Australia were 37,000-60,000 in water with no direct source of hydrocarbons; 27,000-30,000 in areas where the main sources of hydrocarbons is urban drainage, and 200,000-310,000 in sites close to the discharge of a major oil refinery(5). The biota-sediment accumulation factor (BSAF) for benzo(k)fluoranthene determined using oligochaete worm (*Lumbriculus variegatus*) was 0.63 and 0.21 in Lake Erie sediment from Vermilion, OH and Dunkirk, NY, respectively(6).

### 12.4 Mobility in soil

The log Koc value for benzo(k)fluoranthene in 100 soil samples was 6.81-7.91(1). According to a classification scheme(2), these measured Koc values suggest that benzo(k)fluoranthene is expected to be immobile in soil. The log Koc values of benzo(k)fluoranthene measured in sediment from San Francisco Bay was 6.01-6.70(3). Sorption coefficients for benzo(k)fluoranthene measured using two lake sediments with organic carbon content of 1.87 and 2.07%, and a high chemical concentration were 6100 and 20,000, respectively(4). Sorption coefficients measured using a low benzo(k)fluoranthene concentration were 7300 and 26,000 using the same respective sediments(4). These values correspond to Koc values of  $3.3 \times 10^5$ ,  $9.7 \times 10^5$ ,  $3.9 \times 10^5$  and  $1.3 \times 10^6$ (5). The log Koc value of benzo(k)fluoranthene measured in sediment from Lake Ketelmeer was 6.74 and 6.89(6). The log Koc values for benzo(b,k)fluoranthene in 52 sediment samples was 5.61-8.44(7).

### 12.5 Other adverse effects

no data available

---

## SECTION 13: Disposal considerations

### 13.1 Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

## 14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

## 14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

## 14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

## 14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

## 14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

## 14.6 Special precautions for user

no data available

## 14.7 Transport in bulk according to IMO instruments

no data available

---

# SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Benzo[k]fluoranthene	Benzo[k]fluoranthene	207-08-9	205-916-6
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Not Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Not Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Not Listed.
Korea Existing Chemicals List (KECL)			Not Listed.

---

# SECTION 16: Other information

### Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

### Abbreviations and acronyms

- CAS: Chemical Abstracts Service

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

## References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

## Other Information

Benzo(k)fluoranthene is present as a component of polycyclic aromatic hydrocarbons (PAH) content in the environment usually resulting from the incomplete combustion or pyrolysis of organic matters, especially fossil fuels and tobacco. ACGIH recommends environment containing benzo(k)fluoranthene should be evaluated in terms of the TLV-TWA for coal tar pitch volatile, as benzene soluble 0.2 mg/m<sup>3</sup>. Insufficient data are available on the effect of this substance on human health, therefore utmost care must be taken.

**Any questions regarding this SDS, Please send your inquiry to [sds@xixisys.com](mailto:sds@xixisys.com)**

---

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.*