

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name 2,6-xylydine

1.2 Other means of identification

Product number -

Other names o-Xylydine; 2,6-dimethyl-aniline; 2-Amino-1,3-xylene

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.

Uses advised against no data available

1.4 Supplier's details

Company Shanghai Yien Chemical Technology Co., Ltd
Address Building 6, 28 Yingong Road, Fengxian District, Shanghai
Chemical Industry Zone, Shanghai, 201400, China
Telephone +86-400-133-2688

1.5 Emergency phone number

Emergency phone number +86-400-133-2688

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Acute toxicity - Category 4, Oral
Acute toxicity - Category 4, Dermal
Skin irritation, Category 2
Acute toxicity - Category 4, Inhalation
Specific target organ toxicity – single exposure, Category 3
Carcinogenicity, Category 2
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

Hazard statement(s)	H302 Harmful if swallowed H312 Harmful in contact with skin H315 Causes skin irritation H332 Harmful if inhaled H335 May cause respiratory irritation H351 Suspected of causing cancer H411 Toxic to aquatic life with long lasting effects
Precautionary statement(s)	
Prevention	P264 Wash ... thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P203 Obtain, read and follow all safety instructions before use. P273 Avoid release to the environment.
Response	P301+P317 IF SWALLOWED: Get medical help. P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of water/... P317 Get medical help. P321 Specific treatment (see ... on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P332+P317 If skin irritation occurs: Get medical help. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P319 Get medical help if you feel unwell. P318 IF exposed or concerned, get medical advice. P391 Collect spillage.
Storage	P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
2,6-xylydine	2,6-xylydine	87-62-7	201-758-7	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

Following eye contact

Rinse with plenty of water for several minutes (remove contact lenses if easily possible).

Following ingestion

Rinse mouth. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

May be fatal if inhaled, swallowed or absorbed through skin. Vapor or mist irritating to the eyes, mucous membranes and upper respiratory tract; causes skin irritation. Absorption into body leads to the formation of methemoglobin which, in sufficient concentration, may cause cyanosis. Onset may be delayed 2-4 hours or longer. Exposure can cause nausea, dizziness, headache, damage to the eyes, and blood effects. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate First Aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aromatic hydrocarbons and related compounds

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

5.2 Specific hazards arising from the chemical

Special Hazards of Combustion Products: Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Use water spray, carbon dioxide, foam, powder.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: chemical protection suit and filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.2 Environmental precautions

Personal protection: chemical protection suit and filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames. Above 91°C use a closed system and ventilation. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Separated from strong oxidants, acids, acid anhydrides, acid chlorides, hypochlorites, halogens and food and feedstuffs. Well closed. Store in an area without drain or sewer access. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

MAK: skin absorption (H); carcinogen category: 2

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety spectacles or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid.
Colour	Colorless to reddish-yellow, clear.
Odour	Characteristic odor
Melting point/freezing point	11.2 °C.
Boiling point or initial boiling point and boiling range	216 °C. Atm. press.: 1 013.25 hPa.
Flammability	Combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	no data available
Flash point	92 °C. Atm. press.: 1 013.25 hPa.
Auto-ignition temperature	490 °C. Atm. press.: 1 013.25 hPa.
Decomposition	no data available

temperature	
pH	no data available
Kinematic viscosity	dynamic viscosity (in mPa s) = 1.7. Temperature:50.0°C.;dynamic viscosity (in mPa s) = 1.16. Temperature:70.0°C.
Solubility	Partially miscible with water
Partition coefficient n-octanol/water	log Pow = 1.57. Temperature:25 °C.;log Pow = 1.96. Temperature:25 °C.
Vapour pressure	0.2 hPa. Temperature:25.2 °C. Remarks:Lowest value measured.;0.128 hPa. Temperature:20 °C. Remarks:Extrapolated.
Density and/or relative density	0.98 g/cm ³ . Temperature:20 °C.
Relative vapour density	4.17 (NTP, 1992) (Relative to Air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposes on burning. This produces toxic and corrosive fumes including nitrogen oxides. Reacts violently with strong oxidants. Reacts with hypochlorites. This produces explosive chloroamines. Reacts with acids, acid anhydrides, acid chlorides and halogens. Attacks plastic and rubber.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

This chemical is a combustible liquid. /Xylidines/The vapour is heavier than air.2,6-XYLIDINE reacts with strong oxidizing agents [Handling Chemicals Safely 1980 p. 964]. Neutralizes acids in exothermic reactions to form salts plus water. May be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. Flammable gaseous hydrogen may be generated in combination with strong reducing agents, such as hydrides.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Incompatible materials: Acids, acid chlorides, acid anhydrides, oxidizing agents, chloroformates, halogens.

10.6 Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /nitrogen oxides/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat (male) - 840 mg/kg bw.
- Inhalation: inhalation hazard test - rat (male/female) - 0.75 mg/L air.
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Evaluation: There is inadequate evidence in humans for the carcinogenicity of 2,6-dimethylaniline. There is sufficient evidence in experimental animals for the carcinogenicity of 2,6-dimethylaniline. Overall evaluation: 2,6-dimethylaniline is possibly carcinogenic to humans (Group 2B).

Reproductive toxicity

no data available

STOT-single exposure

Exposure at high levels could cause lowering of consciousness. Exposure at high levels could cause formation of methaemoglobin. The effects may be delayed. Medical observation is indicated.

STOT-repeated exposure

The substance may have effects on the blood. This may result in anaemia. The substance may have effects on the liver. This substance is possibly carcinogenic to humans.

Aspiration hazard

A harmful contamination of the air will be reached slowly on evaporation of this substance at 20°C; on spraying or dispersing, however, much faster.

SECTION 12: Ecological information**12.1 Toxicity**

- Toxicity to fish: SC50 - *Cyprinus* sp. - 66 mg/L - 48 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - 20 mg/L - 48 h.
- Toxicity to algae: EC50 - *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*) - > 100 mg/L - 72 h.
- Toxicity to microorganisms: EC20 - activated sludge, domestic - ca. 150 mg/L - 30 min. Remarks: Respiration rate.

12.2 Persistence and degradability

AEROBIC: A Warburg respirometer study utilizing an activated sludge seed and 6 hr of incubation resulted in a 2,6-xylidine depletion of 33-37% at a concentration of 20 ppm(1). In a 6 week soil degradation study using (14)C-labelled 2,6-xylidine, 8.4% of applied radioactivity was recovered via CO₂ evolution in non-autoclaved soil while 0% CO₂ evolution occurred in autoclaved soil(2). In a soil degradation study conducted in glass vessels using Chernozem soil, 2,6-xylidine (at 500 mg/L) was degraded after 3 days of incubation with >90% recovered in transformation products(3). Using OECD Guideline 301F (Ready Biodegradability: Manometric Respirometry Test), 2,6-xylidine (at 100 mg/L) reached 4, 8, 25, 38 and 69% of its theoretical BOD after 7, 13, 36, 42 and 70 days, respectively(4); these results indicated that 2,6-xylidine was not readily biodegradable according to OECD criteria, however, it is biodegradable after extended adaptation(4). In another OECD Guideline 301F study, 2,6-xylidine (at 100 mg/L) showed no biodegradation after 33 day(4). Using OECD Guideline 302B (Inherent biodegradability: Zahn-Wellens/EMPA Test) and an industrial activated sludge seed, 83% of initial 2,6-xylidine was removed from the aqueous test system after 11 days, however, the substance was mainly removed via volatilization(4). 2,6-Xylidine, present at 100 mg/L, reached 0% of its theoretical BOD in 4 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test(5).

12.3 Bioaccumulative potential

An estimated BCF value of 8 was calculated for 2,6-xylidine in fish(SRC), using a log K_{ow} of 1.84(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF value suggests that bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of 2,6-xylydine can be estimated to be 190(SRC). According to a classification scheme(2), this estimated Koc value suggests that 2,6-xylydine is expected to have moderate mobility in soil. Aromatic amines are expected to bind strongly to humus or organic matter in soils due to the high reactivity of the aromatic amino group(3,4), suggesting that mobility may be lower in some soils(SRC). In a short term soil adsorption study using ¹⁴C-labelled 2,6-xylydine, 66% of the applied radioactivity was bound to the soil (3.4% organic matter, 36.6% sand, 28.2% silt, 35.2% clay) after 24 hrs(3).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN1711 (For reference only, please check.)

IMDG: UN1711 (For reference only, please check.)

IATA: UN1711 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: XYLIDINES, LIQUID (For reference only, please check.)

IMDG: XYLIDINES, LIQUID (For reference only, please check.)

IATA: XYLIDINES, LIQUID (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
2,6-xylydine	2,6-xylydine	87-62-7	201-758-7
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Do NOT take working clothes home. Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. TLV only established for mixed isomers. See ICSCs 0451, 0453, 0600, 1686 and 1687.

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.