



# SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0  
Creation Date: July 15, 2019  
Revision Date: July 15, 2019

## SECTION 1: Identification

### 1.1 GHS Product identifier

**Product name** 3-aminopropyltriethoxysilane

### 1.2 Other means of identification

**Product number** -

**Other names** 1-Propanamine, 3-(triethoxysilyl)-; 3-Aminopropyltriethoxysilane

### 1.3 Recommended use of the chemical and restrictions on use

**Identified uses** Industrial and scientific research use.

**Uses advised against** no data available

### 1.4 Supplier's details

**Company** Shanghai Yien Chemical Technology Co., Ltd  
**Address** Building 6, 28 Yingong Road, Fengxian District, Shanghai  
Chemical Industry Zone, Shanghai, 201400, China  
**Telephone** +86-400-133-2688

### 1.5 Emergency phone number

**Emergency phone number** +86-400-133-2688

**Service hours** Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

Acute toxicity - Category 4, Oral  
Skin corrosion, Sub-category 1B

### 2.2 GHS label elements, including precautionary statements

**Pictogram(s)**



**Signal word**

Danger

**Hazard statement(s)**

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

**Precautionary statement(s)**

**Prevention**

P264 Wash ... thoroughly after handling.

**Response**

P270 Do not eat, drink or smoke when using this product.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P301+P317 IF SWALLOWED: Get medical help.  
P330 Rinse mouth.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P363 Wash contaminated clothing before reuse.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P316 Get emergency medical help immediately.  
P321 Specific treatment (see ... on this label).  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 Store locked up.  
P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Storage  
Disposal****2.3 Other hazards which do not result in classification**

no data available

---

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
3-aminopropyltriethoxysilane	3-aminopropyltriethoxysilane	919-30-2	213-048-4	100%

---

**SECTION 4: First-aid measures****4.1 Description of necessary first-aid measures****If inhaled**

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

**Following skin contact**

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

**Following eye contact**

Rinse with pure water for at least 15 minutes. Consult a doctor.

**Following ingestion**

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

**4.2 Most important symptoms/effects, acute and delayed**

no data available

**4.3 Indication of immediate medical attention and special treatment needed, if necessary**

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if

possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Silane, Chlorosilane, and Related Compounds

---

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Specific hazards arising from the chemical

no data available

### 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Personal precautions: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Moisture sensitive. Store under inert gas.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure limit values

<b>Component</b>	3-aminopropyltriethoxysilane			
<b>CAS No.</b>	919-30-2			
	<b>Limit value - Eight hours</b>		<b>Limit value - Short term</b>	
	<b>ppm</b>	<b>mg/m<sup>3</sup></b>	<b>ppm</b>	<b>mg/m<sup>3</sup></b>
<b>Finland</b>	3	28	6 (1)	55 (1)
	<b>Remarks</b>			
<b>Finland</b>	(1) 15 minutes average value			

**Biological limit values**

no data available

**8.2 Appropriate engineering controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

**8.3 Individual protection measures, such as personal protective equipment (PPE)****Eye/face protection**

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

**Skin protection**

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Respiratory protection**

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

**Thermal hazards**

no data available

---

**SECTION 9: Physical and chemical properties and safety characteristics**

<b>Physical state</b>	Liquid.
<b>Colour</b>	Liquid
<b>Odour</b>	no data available
<b>Melting point/freezing point</b>	-70 °C. Atm. press.:Ca. 101.3 kPa.
<b>Boiling point or initial boiling point and boiling range</b>	217 °C. Atm. press.:Ca. 101.3 kPa.
<b>Flammability</b>	no data available
<b>Lower and upper explosion limit/flammability limit</b>	no data available
<b>Flash point</b>	93 °C. Atm. press.:101.3 kPa.
<b>Auto-ignition temperature</b>	270 °C. Atm. press.:100.93 - 101.07 kPa.
<b>Decomposition temperature</b>	no data available
<b>pH</b>	no data available
<b>Kinematic viscosity</b>	dynamic viscosity (in mPa s) = 2. Temperature:20°C.
<b>Solubility</b>	In water: 1 000 000 mg/L. Temperature:20 °C.
<b>Partition coefficient n-octanol/water</b>	log Pow = 1.7. Temperature:20 °C.
<b>Vapour pressure</b>	1.7 Pa. Temperature:20 °C.
<b>Density and/or relative density</b>	0.95 g/cm <sup>3</sup> . Temperature:20 °C.
<b>Relative vapour density</b>	no data available
<b>Particle characteristics</b>	no data available

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

no data available

## 10.2 Chemical stability

no data available

## 10.3 Possibility of hazardous reactions

no data available

## 10.4 Conditions to avoid

no data available

## 10.5 Incompatible materials

Materials to avoid: Strong oxidizing agents, acids.

## 10.6 Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /nitrogen oxides/.

---

# SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 - rat (male) - 2.83 mL/kg bw.
- Inhalation: LC50 - rat (male) - > 5 ppm.
- Dermal: LD50 - rabbit (male/female) - 4.29 mL/kg bw.

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

### STOT-single exposure

no data available

### STOT-repeated exposure

no data available

### Aspiration hazard

no data available

---

# SECTION 12: Ecological information

## 12.1 Toxicity

- Toxicity to fish: LC50 - Danio rerio (previous name: Brachydanio rerio) - > 934 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - 331 mg/L - 48 h.
- Toxicity to algae: EC50 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - > 1 000 mg/L - 72 h.

- Toxicity to microorganisms: EC10 - *Pseudomonas putida* - 13 mg/L - 5.75 h.  
Remarks: Respiration rate.

## 12.2 Persistence and degradability

AEROBIC: (3-Aminopropyl)triethoxysilane was found to be not readily biodegradable when inoculated with domestic sewage and analyzed for biodegradation using the DOC die away test. The results indicated that after 28 days, 67 percent of (3-aminopropyl)triethoxysilane had degraded. This degradation was primarily attributed to hydrolysis. Hydrolysis of (3-aminopropyl)triethoxysilane occurs rapidly, and consequently biodegradation of the hydrolysis products (ethanol and trisilanols) is the primary fate pathway(1).

## 12.3 Bioaccumulative potential

Bioconcentration is not anticipated since this material is hydrolytically unstable; rapid hydrolysis of this material produces ethanol and trisilanols. (3-Aminopropyl)triethoxysilane's hydrolysis half-life is 0.15 hours at pH 9 and 24.7 deg C(1).

## 12.4 Mobility in soil

Adsorption to soil will not be an important environmental fate process due to (3-aminopropyl)triethoxysilane's rapid hydrolysis(SRC); its half-life is 0.15 hours at pH 9 and 24.7 deg C(1).

## 12.5 Other adverse effects

no data available

---

# SECTION 13: Disposal considerations

## 13.1 Disposal methods

### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

# SECTION 14: Transport information

## 14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)	IMDG: Not dangerous goods. (For reference only, please check.)	IATA: Not dangerous goods. (For reference only, please check.)
---	--	--

## 14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)	IMDG: Not dangerous goods. (For reference only, please check.)	IATA: Not dangerous goods. (For reference only, please check.)
---	--	--

## 14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)	IMDG: Not dangerous goods. (For reference only, please check.)	IATA: Not dangerous goods. (For reference only, please check.)
---	--	--

## 14.4 Packing group, if applicable

ADR/RID: Not dangerous	IMDG: Not dangerous goods. IATA: Not dangerous goods.
------------------------	---

goods. (For reference only,  
please check.)

(For reference only, please  
check.)

(For reference only, please  
check.)

## 14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

## 14.6 Special precautions for user

no data available

## 14.7 Transport in bulk according to IMO instruments

no data available

---

# SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
3-aminopropyltriethoxysilane	3-aminopropyltriethoxysilane	919-30-2	213-048-4
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

---

# SECTION 16: Other information

### Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

### Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

### References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

**Any questions regarding this SDS, Please send your inquiry to [sds@xixisys.com](mailto:sds@xixisys.com)**

---

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.*